REMARKS

The Office Action issued on May 1, 2007 ("Office Action") withdrew the prior rejection

of claims 21-42, then again rejected claims 21-42 under 35 U.S.C. § 103(a) over the combination

of U.S. Patents 3,364,630 to Rusk ("Rusk") and 3,355,772 to Kolberg ("Kolberg"). Applicants

respectfully traverse.

The Office Action begins the obviousness discussion by stating that "Rusk teaches a

method for manufacturing an article that could be used to fulfill the intended use of a spindle

liner for manipulating a workpiece on a machine, wherein the article has an inner diameter"

(Office Action, page 2.) Even at this early point in the argument, Applicants respectfully

disagree. Even the title of Rusk identifies the article described therein as an "abrasive roll."

Such rough-surfaced objects are not, in fact, suitable for use as an insert in a spindle of a turning

machine. If one were to attempt such a use, the abrasive outer surface described in Rusk ("An

abrasive roll 9 shown in FIG. 1 generally comprises a cylindrical shaped outer tube 10, which is

coded with abrasive granules 12." (Rusk, column 1, lines 68-70)) would severely damage the

precision-made inner surface of the turning machine's spindle.

This attribute of Rusk's rolls militates against obviousness of the present claims in at

least two ways. First, the lack of suitability of the Rusk abrasive roll for use within a spindle

would lead one skilled in the art away from reliance on Rusk when the artist sought to create a

spindle liner. Second, even if one were to choose Rusk for an application for which it is not

suited, Rusk's teachings—with or without Kolberg—do not lead to the invention presently

claimed.

The Office Action acknowledges that Rusk is silent as to the size of the core element

relative to the workpiece, and as to the inner dimension of the mold section relative to the inner

2

Mold and Method for Making a Unibody Lathe Spindle Liner Response to Office Action

Attorney Docket 11111-43236 Doc # 1176428 $\begin{array}{c} \text{App. No. } 10/628{,}593 \\ \text{This paper is being e-filed: February } 8{,}\,2007 \end{array}$

•

Inventors: Joel C. TRUSTY et al.

diameter of the spindle. Contrary to the discussion in the Office Action, however, Rusk does not

imply that the mold section used to make a spindle liner should have an inner dimension slightly

smaller than the inner dimension of a spindle, nor that a core element as in claim 21 should be

slightly larger in cross-section than a workpiece to be manipulated on the turning machine. Rusk

does show that an "axially extending opening" through "a body of a foamed resin" might have

"an interference fit with respect to a rotatably driven spindle" that is placed *inside* the roll, but

there is no suggestion in either reference to make the center opening slightly larger in cross-

section than a workpiece, nor to otherwise adapt the Rusk roll to accommodate a workpiece that

might move through the roll for manipulation on a turning machine. For these reasons, the

combination of Rusk and Kolberg fails to present a prima facie basis for the finding of

obviousness.

In addition, Applicants note that claim 28 recites that "the workpiece [to be manipulated

by the spindle liner on a turning machine] is extruded stock." The Office Action suggests that

this limitation "appears to be drawn to a method of making an article that could be inserted into

the article resulting from the process of Claim 21." To the contrary, this limitation is a succinct

way of reciting certain characteristics of the spindle liner. These characteristics are not shown or

suggested by either cited reference.

Among other things, claim 29 recites the additional step of "assembling a flange-forming

mold portion to the tubular mold section [claim 21], where the flange-forming mold portion

provides a suitable mounting flange on the spindle liner for use with the turning machine." The

Office Action suggests that this step is shown in the cited art because "Rusk teaches that various

shapes should be made using shaped molds. Rusk teaches that in at least some embodiments, it

is desirable to have flanges, and Kolberg provides shaped articles, including flanges. The

Mold and Method for Making a Unibody Lathe Spindle Liner Response to Office Action

This paper is being e-filed: February 8, 2007 Inventors: Joel C. TRUSTY et al.

App. No. 10/628,593

3

flanges would provided the claimed intended use." (Office Action, page 4 (citations omitted).)

To the contrary, the specific illustrations in Figs. 3-5 of Rusk are particularly inappropriate for use as spindle liners, as they fail to match the inner dimensions of a spindle liner with their outer dimensions. Further, these structures shown in Rusk's Figs. 3-5 do not meet the limitation of claim 29 for providing "a suitable mounting flange on the spindle liner for use with the turning machine." It is noted that the Office Action identifies item 29 in Kolberg's Fig. 1 as such a flange. Those "longitudinally spaced grooves" (Kolberg, column 1, lines 60-61), however, are configured in such a way that using them to mount the roll (if one were to attempt to use it as a spindle liner) on a turning machine would be virtually impossible. Kolberg does not even suggest that there be holes in the sides of its "longitudinally spaced grooves," let alone mounting the roll on anything else using those grooves. For this independent reason, Applicants respectfully request the reconsideration of the rejection of claim 29 (and claim 30, depending therefrom), as well as the rejection of claims 40 and 41 based on the same reasoning.

Claim 32 recites, among other things, "selecting a core element [that] is slightly larger in cross-section than [a] workpiece" to be manipulated on a turning machine, as well as "selecting a tubular mold section [that] has an inner dimension slightly smaller than the inner dimension of the spindle" of the turning machine. As discussed above in relation to similar limitations in claim 21, Rusk and Kolberg fail to show or suggest either of these dimensional differentials. The Office Action suggests that the reference in Rusk (at column 3, line 60) to "chucking a section of the foamed materials in a lave and using a file or abrasive paper to contour the foamed material into its desired shape" teaches the step quoted just above. To the contrary, Rusk's chucking was to be done while completing a desired formation of Rusk's abrasive roll, and had nothing to do with the use of the abrasive roll within a spindle, let alone any differential sizing of the roll

Mold and Method for Making a Unibody Lathe Spindle Liner Response to Office Action Attorney Docket 11111-43236 Doc # 1176428 App. No. 10/628,593 This paper is being e-filed: February 8, 2007 Inventors: Joel C. TRUSTY et al.

4

(interpreted by the Office Action as representing the interior of a mold section) relative to the

interior of a spindle. Such teachings also fail to suggest that Rusk selects a tubular mold section

from among a number of molds where the mold section has an inner diameter related to the

chuck, let alone relating to anything resembling a spindle. For this independent reason,

Applicants respectfully request that the rejection of claim 32 be reconsidered.

The Office Action acknowledges that "Rusk is silent [as] to (a) the core element [being]

slightly larger in cross section than the workpiece and the mold section [having] an inner

dimension slightly larger than the inner diameter of the spindle," but argues, "The article of Rusk

is capable of fulfilling the intended use because it could be used to accommodate a workpiece

(Fig. 7, item 58) and inherently fits into a chuck (3-65). Thus, the mold and core size are the

same or substantially the same as claimed." In fact, Claim 32 plainly recites that "the selected

core element is slightly larger in cross-section than the workpiece" and further that "the

selected tubular mold section has an inner dimension slightly smaller than the inner dimension

of the spindle." These recitations do not mean that the dimensions are "the same or substantially

the same" as implied by the Office Action. Because of these differences between the teachings

of the references, even taken together, and the claims presented, Applicants respectfully

requested reconsideration of the rejection of claim 32, as well as the claims depending therefrom.

Claim 39 recites that "the workpiece is extruded stock." As discussed above in relation

to claim 28, this limitation varies significantly from Rusk's shaft, and that shaft does not

anticipate use of extruded stock as a workpiece manipulated by the spindle liner of claim 39.

Further, the Office Action suggests that "little patentable weight" should be given to the

additional limitation in claim 39 "[b]ecause there is no claimed relationship between claim 28

and claim 21 (no step of inserting or assembly, and of the shape of the workpiece would not

App. No. 10/628,593

Mold and Method for Making a Unibody Lathe Spindle Liner Response to Office Action Attorney Docket 11111-43236

This paper is being e-filed: February 8, 2007 Inventors: Joel C. TRUSTY et al. 5 Doc # 1176428

depend on the method of making)." The relationship between claim 39 on one hand and claims

21 and 28 on the other is unclear, but regardless, Applicants respectfully request reconsideration

of the rejection of claim 39.

Applicants believe that the application is in condition for allowance, and prompt action

by the Office toward that end is respectfully requested. In the event any issue(s) remain, the

undersigned invites the Examiner to contact him by telephone to expedite the examination of this

application. Thank you.

Respectfully submitted,

/Matthew R. Schantz/

Matthew R. Schantz

Attorney Reg. No. 40,800

BINGHAM McHALE, LLP

2700 Market Tower

10 West Market Street

Indianapolis, IN 46204-4900

Telephone:

(317) 635-8900

Facsimile: (317) 236-9907 mschantz@binghammchale.com

Mold and Method for Making a Unibody Lathe Spindle Liner Response to Office Action Attorney Docket 11111-43236 Doc # 1176428 App. No. 10/628,593 This paper is being e-filed: February 8, 2007 Inventors: Joel C. TRUSTY et al.

6